IEEE Services Computing Conference 2009 – Bangalore















SEVEN CONTEXTS

for designing service systems

Robert J. Glushko

glushko@ischool.berkeley.edu

UC Berkeley School of Information Information & Service Design Program



Agenda

- The Definition of "Service"
- The Definition of "Service System"
- Seven Contexts with Characteristic Design Issues and Methods
- Contexts as Building Blocks of Service Systems
- Service System Scope, Intersection and the Future of Service System Design



What is a Service?

- A computational / technological unit of functionality with hidden implementation
- Requests and responds through welldefined interfaces defined using XML
- Conforms to standards and design principles (WS*, REST, ...)
- Composed / choreographed / orchestrated / mashed-up to yield more complex functionality
- Designed with concern for reliability, scaleability, robustness, interoperability...



Examples of Services

- Amazon and Google APIs
- ebXML and UBL business process interfaces in B2B
- Information from devices or sensors



What is a Service?

- Accommodations and food services
- Arts, entertainment, recreation
- Personal services characterized by high empathic or physical interactions
- Professional and information-intensive services characterized by high degree of information processing and exchange



Examples of Services

- The process of using one's resources or competencies for the benefit of another person
- Interpersonal interactions to co-operatively create value
- Vary from "high-contact" to "lowcontact" depending on need for empathic or personalized interactions



Examples of Services

Personal Service



Self-Service



Web Service



If these are all "services," are there any design concepts and methods apply to all of them?




Motivating a new concept of Service

- What services are involved when you check into a hotel?
- What determines the quality of your hotel check-in experience?







Hotel Check-In



Hotel Employee to Customer



Hotel Check-In



Looking up the Reservation



Hotel Check-In



Self-Service



The Million {\$, €, rupee} Question


- Do we focus on how these services and service encounters differ?
- Or do we emphasize what they have in common?



What is Service?

- There are service providers and service consumers... but these are roles, not intrinsic properties
- A service provider (role) has an interface through which the service consumer (role) interacts to request or obtain the service
- Value or quality is created/co-created by the interactions and information interchanges between the provider and consumer






From "Service" to "Service Systems"


- A Unifying Concept
 - Treating services more abstractly lets us see the SERVICE SYSTEM as the appropriate framework for understanding how services work
- An Expansive and Recursive Definition

"Value co-creation configurations of people, technology, and value propositions that interconnect service systems, and shared information" (Maglio et al 2006)










Designing Information-Intensive Service Systems

- But the concept of "Service System" is so abstract and recursive it describes almost everything!
- We need to narrow the scope and simplify the description of service systems to be able to provide prescriptive design guidance
- Narrowing the scope to "information-intensive" service systems and constraining the descriptive vocabulary as "building blocks" gives us exactly that

information & Service Design
ONIVERSITY OF CALIFORNIA, BERKELEY



Service Design Contexts



- A framework for designing service systems from "building blocks"
- Each context has characteristic design concerns and methods
- Derivational and compositional relationships among the contexts define design patterns
- These patterns enable the incremental design of service systems




Contexts as Building Blocks

- Describing and designing service systems in terms of the seven contexts makes it much easier to consider alternative service system designs:
 - replacing or augmenting a person-to-person service with self-service
 - substituting one service provider for another in the same role (e.g, through outsourcing)
 - eliminating a person-to-person interaction with automation or stored information



Deconstructing Service Encounters




Service encounters can include:

- Interpersonal Interaction
- Physical Interactions
- Information Processing
- & Exchange

Apte, U. and Mason, R. Global Disaggregation of Information-Intensive Services. *Management Science* (1995)...



Deconstructing Service Encounters




Technology changes these proportions...

- Information can augment interpersonal and physical interactions
- And can also replace them

...and enables scaleable and reliable service personalization





Customer-to-Customer "Crowdsourcing"



- An emerging extension to the self-service context is "crowdsourcing" or "community content"
- Service customers provide preferences or other content implicitly through use or explicitly by rating or "tagging" service offerings or information
- This information exchange between customers enhances future service to themselves or others




The Multi-Channel Context





- Combines P2P and Self-Service Contexts
- Key Design Questions:
 Content, direction, and reciprocity of information exchange between channels






The Multi-Device Context




- Extends the self-service context (the same service) to multiple devices or platforms
- Key Design Questions:
 Consistency and predictability of functionality, content, and user interface between channels





Service Design Patterns



- Adjusting the absolute and relative amount of interpersonal, physical and informational interaction
- Adjusting the line of visibility between the front and back stages
- The number of "touch points" or "stored information equivalents"
- Choosing a point of view
- Transparent substitutability
- Scoping the service system and the size of the "touchpoint window"

UNIVERSITY OF CALIFORNIA, BERKELE

Front Stage and Back Stage

- FRONT STAGE: Where interactions with the service customer/ consumer happen
- BACK STAGE: Produces information and "stuff" needed by the front stage
- Placement of LINE OF VISIBILITY is a design parameter









"Touch Points"


- Many of the important design concepts for service systems come from the P2P and Technologyenhanced P2P contexts:
 - "Touch Points" the points where service providers and service consumers interact
 - "Moments of Truth" the most critical touch points, where the quality of the experience is most apparent to the service consumer
- In our more abstract conception of services we can treat "touch points" as equivalent to "service interfaces" and "information exchanges"





"Touch Points" and Service Intensity / Quality

- Services differ intrinsically in the number of touch points they require to create value; this is often called the "service intensity"
- Traditional P2P service system design assumes that intensity is positively correlated with service quality
- This view lets us treat intensity as a design parameter to differentiate service offerings of the same type or industry domain
- The "generic" service offering is a design pattern that can be increased or reduced in intensity by changing the number of touch points

NIVERSITY OF CALIFORNIA, BERKELEY







Information and Interaction Substitutability

- In the "Technology-enhanced P2P context capturing, managing, integrating and retrieving information allows service providers to substitute information for interaction
- You don't need high intensity or many touch points if stored information makes interaction unnecessary
- A hotel clerk with a database doesn't need to ask for your room preferences; Amazon doesn't need to ask you about what type of books you like
- Design implication: hidden computational services are interchangeable with customer-facing "touch points"




Point of View

- Designate some actor or service as the focal / primary consumer or customers
- Typically the end of the value chain or information flow, or where "users" are
- Often arbitrary, and other actors or services could be alternative POVs




Point of View NOTHEN OCEN TO THE MIND OF THE POINT OF T





Backstage-Intensive / Computational



- Many enterprise applications, transactional systems, or devices generate information that is not usually exposed in customer-facing interfaces
- Many of these backstage services involve information exchanges or computations with no human involvement

The Drop Shipment Pattern



Transparent Substitutability

- Providers and consumers interact by exchanging information through "service interfaces" that specify the inputs and outputs of each service
- These interfaces are implicit in P2P encounters, but always explicit for non-human actors
- In the purest vision of "service oriented architecture," the interfaces are abstract, enabling transparent substitution of one provider for another to optimize service quality for each consumer



Transparent Substitutability



<ShippingRequest>
<PackageInfo>...
<DestinationInfo>...
<DeliveryPromise>...
</shippingRequest>



- The same abstract Shipping Request is sent to many delivery services and one is selected to provide the service
- It probably doesn't matter to the customer which delivery service handles his package
- It might not even matter to the retailer





Location-based / Context-Aware Systems

Location-based Service

lopt'




Add as Loopt friend for live location Call Heather Text Heather View Facebook* profile Notifications when your Facebook* friends


Context-Aware Service



- No need for service consumer to provide location and context information that the service provider has already obtained from sensors
- No need for service provider to give information to consumer that isn't relevant to his location and context







Contexts as Building Blocks Smart home experience (1) Pure P2P Extended of Services trigered only by human interactions (e.g. A. "It's so hot inside." / B. "Shall open the window!") (3) Self-service Customers can monitor status by themselves. (e.g. A. "It's so hot inside." / B. "Shall open the window!") (5) Multi-device Customers should be ablete in their mobile devices to monitor their mobile devices to monitor and control the house in a remote place. (2) Tech-enhanced P2P e.g. installation / repair technician dispatch

The "Smart Bookstore" [1]



Customer browses "Bookland" bookstore site, looks at several books but doesn't purchase them





While walking in town a few days later, text message alert on mobile phone tells him he is near a Bookland store, offering him a discount on the books he browsed online that are in stock at that store



Customer identifies himself with RFIDenabled loyalty card at self-service kiosk, gets printed store map with book locations highlighted

information & Service Design university of California, Berkeley

information & Service Design

The "Smart Bookstore" [2]





His purchases update his customer profile and store inventory, triggering new recommendations and reordering




Books that are removed from shelves but left in coffee shop, rest room, etc. are "zombies" that are detected by RFID tracking, with alerts sent to employee dashboard










Design Methodology with Service Contexts

- Iterative scoping (and defining the POV in) the service system determines relative importance of each context
- Choose a portfolio of appropriate design methods for the combination of contexts






Service System Scope

- Design techniques for person-to-person services typically describe the service from the perspective of the customer and emphasize the "touch points"
- But the scope extends before and after these touch points to an extent that is itself an important design decision
- The scope is more complex with multiple channels, multiple devices, or location-based services





The Gourmet Restaurant Experience

Front Stage







A "customer-oriented" perspective on a gourmet restaurant suggests a narrow service system scope



The "Locavore Restaurant" Service System



Primary Producer

Supply Chain

Delivery

The Stage

But it might be essential to extend the design scope to ensure the desired experience in the "touchpoint window"




The Massage Experience












Service Systems Intersect

You're having dinner with a friend near his workplace.




- Confirm the location
- Search for a restaurant
- Read reviews and ratings
- Make a reservation
- Plan how to get there
- Share the story and pictures
- Add a review and rating
- •





From "Boundary Crossing" to "Dynamic Composition"

Future: Dynamic service negotiation and composition; automated "pruning" of non-value-adding touch points



Summary



- The seven design contexts enable a prescriptive and generative method for designing service systems
- The more abstract conception of services and service interfaces embodied in the seven contexts unifies traditional P2P and SOA visions of service system architecture and design



For More Information

www.ischool.berkeley.edu/~glushko glushko@ischool.berkeley.edu

- •Glushko, RJ. Seven Contexts for Service System Design. To be published in Maglio, P. P., Kieliszewski, C, & Spohrer, J., *Handbook of Service Science*, (2009)
- •Glushko, RJ and Tabas, L. Designing Service Systems by Bridging the "Front Stage" and "Back Stage." *Information Systems and E-Business Management*, (2009).
- ■Glushko, RJ. *Information System and Service Design:*Strategy, Models, and Methods. Graduate course taught at University of California, Berkeley
 (http://www.ischool.berkeley.edu/programs/courses/290-ISaSDSMaM)

